




**3D WORMING**  
DIRECTION DOSAGE DELIVERY

**WORKING  
TOGETHER**

**FOR MORE  
EFFECTIVE  
WORMING**

# LET US TAKE THE WORRY OUT OF WORMING

**EQUIMAX®** Eraquell®



Shaping the future  
of animal health

**Virbac**

# FLEXIBLE WORMING OPTIONS TO SUIT YOUR CLIENTS' NEEDS

## EQUIMAX®

THE FIRST COMBINATION  
EQUINE WORMER  
LAUNCHED IN THE UK



### SPRING/AUTUMN



The perfect choice for spring/autumn worming.  
Use as part of a horse's annual worming programme to  
provide effective control of tapeworm and roundworm.

- For the treatment of large and small strongyles, ascarids, lungworm, pinworm, tapeworm and bots
- Contains ivermectin and praziquantel
- Licensed for pregnant and lactating mares, stallions and foals from 2 weeks of age
- Legal category UK **POM-VPS** ; ROI **POM**





EQUIMAX AND ERAQUELL PROVIDE EFFECTIVE, SUSTAINABLE WORM PROTECTION AS PART OF OUR 3D WORMING APPROACH, WITH PROVEN AND TRUSTED PRODUCT EFFICACY.

# Eraquell®

THE PERFECT CHOICE  
IF SUMMER WORMING  
IS REQUIRED



## SUMMER

- For the treatment of large and small strongyles, ascarids, lungworm and bots
- Use in the summer when faecal egg counts demonstrate that worming is required
- Contains ivermectin
- Legal category UK POM-VPS ; ROI POM

## SYRINGES


- Robust, ergonomic syringes
- Each syringe treats up to 700kg bodyweight
- Equimax is available in display boxes of 12 syringes, or a yardpack of 48 syringes  
Eraquell is available in display boxes of 12 syringes
- Yardpacks minimise packaging and offer a time-efficient solution for busy yards



Virbac 3D worming has been designed to support SQPs and vets in educating their clients on the correct worming approach. This ensures that horses remain in good health, and that wormer treatments are used appropriately, minimising the development of resistance and preserving their effectiveness for the future.



**3D WORMING**  
DIRECTION DOSAGE DELIVERY



### DIRECTION

- The right advice for effective treatment
- Test before treatment to identify the horses that need worming
- If worming is required use the right wormer at the right time of the year
- Advise on pasture management to reduce the need to use wormer treatments

### DOSAGE

- Give the right dosage based on the horse's weight
- Use a weigh tape to accurately assess body weight
- Ensure there is enough dose of wormer in the product prescribed, for the entire body weight.

### DELIVERY

- Ensure the full dose is administered correctly
- Any 'spit-out' will result in under-dosing
- Owners should be advised to be careful when disposing of used syringes.



SCAN THE QR CODE TO  
LEARNING MORE ABOUT  
RESPONSIBLE WORMING

Equimax® contains ivermectin/praziquantel, legal category UK [POM -VPS]; ROI [POM]  
Eraquell® contains ivermectin, legal category UK [POM -VPS]; ROI [POM]

Further information available in the SPCs or from Virbac Ltd, Unit 16 Woolpit Business Park,  
Windmill Avenue, Woolpit, Bury St Edmunds IP30 9UP. Tel: +44(0)1359 243243.  
UK: enquiries@virbac.co.uk <https://uk.virbac.com>  
IE: enquiries@virbac.ie [www.virbac.ie](http://www.virbac.ie)

Use medicines responsibly. [www.noah.co.uk/responsible](http://www.noah.co.uk/responsible) [www.apha.ie](http://www.apha.ie)  
Prescription decisions are for the person issuing the prescription alone

Shaping the future  
of animal health

**Virbac**